§ 440.25

§440.25 Reports.

DOE may require any recipient of financial assistance under this part to provide, in such form as may be prescribed, such reports or answers in writing to specific questions, surveys, or questionnaires as DOE determines to be necessary to carry out its responsibilities or the responsibilities of the Secretary of Health and Human Services under this part.

(Approved by the Office of Management and Budget under control number 1901–0127)

§§ 440.26-440.29 [Reserved]

§440.30 Administrative review.

(a) An applicant shall have 20 days from the date of receipt of a decision under §440.12 or §440.13 to file a notice requesting administrative review. If an applicant does not timely file such a notice, the decision under §440.12 or §440.13 shall become final for DOE.

(b) A notice requesting administrative review shall be filed with the Support Office Director and shall be accompanied by a written statement containing supporting arguments and requesting, if desired, the opportunity for a public hearing.

(c) A notice or any other document shall be deemed filed under this section upon receipt.

(d) On or before 15 days from receipt of a notice requesting administrative review which is timely filed, the Support Office Director shall forward to the Deputy Assistant Secretary, the notice requesting administrative review, the decision under §440.12 or §440.13 as to which administrative review is sought, a draft recommended final decision for the concurrence of the Deputy Assistant Secretary, and any other relevant material.

(e) If the applicant requests a public hearing, the Deputy Assistant Secretary, within 15 days, shall give actual notice to the State and FEDERAL REGISTER notice of the date, place, time, and procedures which shall apply to the public hearing. Any public hearing under this section shall be informal and legislative in nature.

(f) On or before 45 days from receipt of documents under paragraph (d) of this section or the conclusion of the public hearing, whichever is later, the

Deputy Assistant Secretary shall concur in, concur in as modified, or issue a substitute for the recommended decision of the Support Office Director.

(g) On or before 15 days from the date of receipt of the determination under paragraph (f) of this section, the Governor may file an application, with a supporting statement of reasons, for discretionary review by the Assistant Secretary. On or before 15 days from filing, the Assistant Secretary shall send a notice to the Governor stating whether the Deputy Assistant Secretary's determination will be reviewed. If the Assistant Secretary grants review, a decision shall be issued no later than 60 days from the date review is granted. The Assistant Secretary may not issue a notice or decision under this paragraph without the concurrence of the DOE Office of General Counsel.

(h) A decision under paragraph (f) of this section shall be final for DOE if there is no review under paragraph (g) of this section. If there is review under paragraph (g) of this section, the decision thereunder shall be final for DOE, and no appeal shall lie elsewhere in DOE.

(i) Prior to the effective date of the termination of eligibility for further participation in the program because of failure to comply substantially with the requirements of the Act or of this part, a grantee shall have the right to written notice of the basis for the enforcement action and the opportunity for a public hearing notwithstanding any provisions to contrary of 10 CFR 600.26, 600.28(b), 600.29, 600.121(c), and 600.443. A notice under this paragraph shall be mailed by the Support Office Director by registered mail, return-receipt requested, to the State, local grantee, and other interested parties. To obtain a public hearing, the grantee must request an evidentiary hearing, with prior FEDERAL REGISTER notice, in the election letter submitted under Rule 2 of 10 CFR 1024.4 and the request shall be granted notwithstanding any provisions of Rule 2 to the contrary.

[55 FR 41326, Oct. 10, 1990, as amended at 58 FR 12529, Mar. 4, 1993]

Department of Energy

APPENDIX A TO PART 440—STANDARDS FOR WEATHERIZATION MATERIALS

The following Government standards are produced by the Consumer Product Safety Commission and are published in title 16, Code of Federal Regulations:

Thermal Insulating Materials for Building Elements Including Walls, Floors, Ceilings, Attics, and Roofs Insulation—organic fiber—conformance to Interim Safety Standard in 16 CFR part 1209;

Fire Safety Requirements for Thermal Insulating Materials According to Insulation Use—Attic Floor—insulation materials intended for exposed use in attic floors shall be capable of meeting the same flammability requirements given for cellulose insulation in 16 CFR part 1209;

Enclosed spaces—insulation materials intended for use within enclosed stud or joist spaces shall be capable of meeting the smoldering combustion requirements in 16 CFR part 1209.

The following standards which are not otherwise set forth in part 440 are incorporated by reference and made a part of part 440. The following standards have been approved for incorporation by reference by the Director of the Federal Register in accordance with 5 U.S.C. 552(a) and 1 CFR part 51. These materials are incorporated as they exist on April 5, 1993 and a notice of any change in these materials will be published in the FEDERAL REGISTER. The standards incorporated by reference are available for inspection at the Office of the Federal Register Information Center, 800 North Capitol Street, suite 700, Washington, DC.

The standards incorporated by reference in part 440 can be obtained from the following sources:

Air Conditioning and Refrigeration Institute, 1501 Wilson Blvd., Arlington, VA 22209; (703) 524–8800.

American Gas Association, 1515 Wilson Blvd., Arlington, VA 22209; (703) 841–8400.

American National Standards Institute, Inc., 1430 Broadway, New York, NY 10018; (212) 642-4900

American Society of Mechanical Engineers, United Engineering Center, 345 East 47th Street, New York, NY 10017; (212) 705-7800. American Society for Testing and Materials, 1916 Race Street, Philadelphia, PA 19103;

(215) 299–5400. American Architectural Manufacturers Association, 1540 East Dundee Road, Palatine, IL 60067; (708) 202–1350.

Federal Specifications, General Services Administration, Specifications Section, Room 6654, 7th and D Streets, SW, Washington, DC 20407; (202) 708–5082.

Gas Appliance Manufacturers Association, 1901 Moore St., Arlington, VA 22209; (703) 525-9565.

National Electrical Manufacturers Association, 2101 L Street, NW, Suite 300, Washington, DC 20037; (202) 457–8400.

National Fire Protection Association, Batterymarch Park, P.O. Box 9101, Quincy, MA 02269; (617) 770-3000.

National Standards Association, 1200 Quince Orchard Blvd., Gaithersburg, MD 20878; (301) 590-2300. (NSA is a local contact for materials from ASTM).

National Wood Window and Door Association, 1400 East Touhy Avenue, Des Plaines, IL 60018; (708) 299–5200.

Sheet Metal and Air Conditioning Contractors Association, P.O. Box 221230, Chantilly, VA 22022-1230; (703) 803-2980.

Steel Door Institute, 712 Lakewood Center North, 14600 Detroit Avenue, Cleveland, OH 44107; (216) 899-0100.

Steel Window Institute, 1230 Keith Building, Cleveland, OH 44115; (216) 241–7333.

Tubular Exchanger Manufacturers Association, 25 North Broadway, Tarrytown, NY 10591; (914) 332–0040.

Underwriters Laboratories, Inc., P.O. Box 75530, Chicago, IL 60675-5330; (708) 272-8800. More information regarding the standards in this reference can be obtained from the following sources:

Environmental Protection Agency, 401 M Street, NW, Washington, DC 20006; (202) 554–1080.

National Institute of Standards and Technology, U.S. Department of Commerce, Gaithersburg, MD 20899, (301) 975–2000

Weatherization Assistance Programs Division, Conservation and Renewable Energy, Mail Stop 5G-023, Forrestal Bldg, 1000 Independence Ave, SW, Washington, DC 20585; (202) 586-2207.

THERMAL INSULATING MATERIALS FOR BUILDING ELEMENTS INCLUDING WALLS, FLOORS, CEILINGS, ATTICS, AND ROOFS

[Standards for conformance]

Insulation—mineral fiber:	ASTM¹ C665–88.
Roof insulation board	ASTM C726-88.
Loose-fill insulation	ASTM C764-88.
Vermiculite loose-fill insula-	ASTM C516-80
tion.	(1990).
Perlite loose-fill insulation	ASTM C549-81
	(1986).
Cellular glass insulation block.	ASTM C552-88.
Perlite insulation board	ASTM C728-89a.
Insulation—organic fiber:	
Cellulosic fiber insulating	ASTM C208-72
board.	(1982).
Cellulose loose-fill insulation	ASTM C739-88.
Insulation-organic cellular:	
Preformed block-type poly-	ASTM C578-87a.
styrene insulation.	

Pt. 440, App. A

THERMAL	INSULATING	MATERIAL	S FOR
BUILDING	ELEMENTS	INCLUDING	WALLS,
FLOORS,	CEILINGS	, ATTICS,	AND
ROOFS-	Continued		

[Standards for conformance]

Rigid preformed poly-ASTM C591-85. urethane insulation board. FS² HH-I-1972/1 Polyurethane or polyisocyanurate insula-(1981).tion board faced with aluminum foil on both sides. Polyurethane or FS HH-I-1972/2 polyisocyanurate insula-(1981). And Àmendment 1, tion board faced with felt on both sides. October 3, 1985. Insulation—composite boards: Mineral fiber and rigid cel-ASTM C726-88. lular polyurethane composite roof insulation board. ASTM C984-83. Perlite board and rigid cellular polyurethane composite roof insulation Gypsum board and poly-FS HH-I-1972/4 (1981).urethane or polisocyanurate composite board. Materials used as a patch to Commercially availreduce infiltration through able. the building envelope.

AND FURNACES—Continued [Standards for conformance]

ASTM C534-88.
ASTM C591-85.
Commercially available.

THERMAL INSULATING MATERIALS FOR PIPES, DUCTS, AND EQUIPMENT SUCH AS BOILERS

¹ASTM indicates American Society for Testing and Materials.

FIRE SAFETY REQUIREMENTS FOR INSULATING MATERIALS ACCORDING TO INSULATION USE

[Standards for conformance]

Insulation materials intended for Attic floor exposed use in attic floors shall be capable of meeting the same smoldering combustion requirements given for cellulose insulation in ASTM1 C739-88. Enclosed Insulation materials intended for

space. use within enclosed stud or joist spaces shall be capable of meeting the smoldering combustion requirements in ASTM C739-88.

Exposed inte-Insulation materials, including those rior walls with combustible facings, which and ceilings. remain exposed and serve as wall or ceiling interior finish, shall have a flame spread classification not to exceed 150 (per ASTM E84-89a).

Exterior envelope walls and roofs

Exterior envelope walls and roofs containing thermal insulations shall meet applicable local government building code requirements for the complete wall or roof assembly.

Pipes, ducts. Insulation materials intended for and equipuse on pipes, ducts and equipment. ment shall be capable of meeting a flame spread classification not to exceed 150 (per ASTM E84-89a).

STORM WINDOWS

[Standards for conformance]

[otaliaalao idi odilialilad]	
Storm windows: Aluminum insulating storm windows.	ANSI/AAMA 11002.10- 83.
Aluminum frame storm windows.	ANSI/AAMA 1002.10-83.
Wood frame storm windows.	ANSI/NWWDA ² I.S. 2– 87. (Section 3)

and pipe insulation.

pipe insulation.

Calcium silicate block and

Cellular glass insulation

Expanded perlite block and pipe insulation.

THERMAL INSULATING MATERIALS FOR PIPES, DUCTS, AND EQUIPMENT SUCH AS BOILERS AND FURNACES

[Standards for conformance]

Insulation—mineral fiber: ASTM 1 C547-77. Preformed pipe insulation ... Blanket and felt insulation ASTM C553-70 (industrial type). (1977).Blanket insulation and blan-ASTM C592-80. ket type pipe insulation (metal-mesh covered) (industrial type). Block and board insulation .. ASTM C612-83. Spray applied fibrous insula-ASTM C720-89. tion for elevated tempera-High-temperature fiber blan-ASTM C892-89. ket insulation. Duct work insulation Selected and applied according to ASTM C971-82. Insulation—mineral cellular: Diatomaceous earth block ASTM C517-71

(1979)

(1990).ASTM C552-88.

ASTM C533-85

ASTM C610-85.

S

460

¹ ASTM indicates American Society for Testing and Materials

¹ ASTM indicates American Society for Testing and Materials.

² FS indicates Federal Specifications.

Department of Energy

Pt. 440, App. A

STORM WINDOWS—Continued

[Standards for conformance]

Rigid vinyl frame storm windows.	ASTM ³ D4099–89.
Frameless plastic glaz- ing storm.	Required minimum thick- ness windows is 6 mil (.006 inches).
Movable insulation systems for windows.	Commercially available.

¹ ANSI/AAMA indicates American National Standards Institute/American Architectural Manufacturers Association.

² ANSI/NWWDA indicates American National Standards Institute/National Wood Window & Door Association.

³ ASTM indicates American Society for Testing and Materials.

STORM DOORS

[Standards for conformance]

Storm doors—Aluminum: Storm Doors Sliding glass storm doors.	ANSI/AAMA ¹ 1102.7–89 ANSI/AAMA 1002.10–83
Wood storm doors	ANSI/NWWDA ² I.S. 6– 86.
Rigid vinyl storm doors Vestibules:	ASTM ³ D3678–88.
Materials to construct vestibules.	Commercially available.
Replacement windows:	
Aluminum frame win- dows.	ANSI/AAMA 101-88.
Steel frame windows	Steel Window Institute recommended speci- fications for steel win- dows, 1990.
Wood frame windows Rigid vinyl frame windows.	ANSI/NWWDA I.S. 2–87. ASTM D4099–89.
dows.	

¹ANSI/AAMA indicates American National Standards Institute/American Architectural Manufacturers Association.

²ANSI/NWWDA indicates American National Standards Institute/National Wood Window & Door Association.

³ASTM indicates American Society for Testing and Materials.

REPLACEMENT DOORS

[Standards for conformance]

	and the second s
Replacement doors— Hinged doors:	
Steel doors	ANSI/SDI 1 100-1985.
Wood doors:	
Flush doors	ANSI/NWWDA ² I.S. 1–
	87. (exterior door provisions)
Pine, fir, hemlock and	ANSI/NWWDA I.S. 6-86.
spruce doors.	
Sliding patio doors:	
Aluminum doors	ANSI/AAMA 3 101–88.
Wood doors	NWWDA I.S. 3–83.

CAULKS AND SEALANTS:

[Standards for conformance]

	I
Caulks and sealants:	
Putty	FS ¹ TT-P-00791B, Oc-
	tober 16, 1969 and
	Amendment 2, March 23, 1971.
Glazing compounds for metal sash.	ASTM ² C669–75 (1989).
Oil and resin base caulks.	ASTM C570-72 (1989).
Acrylic (solvent types)	FS TT-S-00230C, Feb-
sealants.	ruary 2, 1970 and
	Amendment 2, Octo-
	ber 9, 1970.
Butyl rubber sealants	FS TT-S-001657, Octo-
	ber 8, 1970.
Chlorosulfonated poly-	FS TT-S-00230C, Feb-
ethylene sealants.	ruary 2, 1970 and Amendment 2, Octo-
	ber 9, 1970.
Latex sealing com-	ASTM C834–76 (1986).
pounds.	/\O1\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
Elastomeric joint	ASTM C920-87.
sealants (normally	
considered to include	
polysulfide, poly-	
urethane, and sili-	
cone).	.
Preformed gaskets and	ASTM C509-84.
sealing materials.	

¹FS indicates Federal Specifications. ²ASTM indicates American Society for Testing and Materials.

WEATHERSTRIPPING

[Standards for conformance]

Weatherstripping	Commercially available. Selected according to the provisions cited in ASTM¹ C755–85 (1990). Permeance not greater than 1 perm when determined ac- cording to the des- iccant method de- scribed in ASTM E96– 90.
Items to improve attic ventilation.	Commercially available.
Clock thermostats	NEMA ² DC 3-1989.
¹ ASTM indicates American rials.	Society for Testing and Mate-

²NEMA indicates National Electrical Manufacturers Association.

¹ ANSI/SDI indicates American National Standards Institute/ Steel Door Institute. ² ANSI/NWWDA indicates American National Standards Institute/National Wood Window & Door Association. ³ ANSI/AAMA indicates American National Standards Institute/American Architectural Manufacturers Association.

Pt. 440, App. A

10 CFR Ch. II (1-1-04 Edition)

HEAT EXCHANGERS

[Standards for conformance]

Heat exchangers, water-	A
to-water and steam-to-	
water.	

SME 1 Boiler and Pressure Vessel Code. 1992, Sections II, V, VIII, IX, and X, as applicable to pressure vessels. Standards of Tubular Exchanger Manufacturers Association, Seventh Edition. 1988.

Heat exchangers with gas-fired appliances 2. Conformance to AGA3 Requirements for Heat Reclaimer Devices for Use with Gas-Fired Appliances No. 1-80, June 1, 1980. AGA Laboratories Certification Seal.

Heat pump water heating heat recovery systems.

Electrical components to be listed by UL.4

BOILER/FURNACE CONTROL SYSTEMS

[Standards for conformance]

Automatic set ba	ck ther-
mostats.	

Line voltage or low voltage room thermostats. Automatic gas ignition systems.

Energy management systems.

Hydronic boiler controls .. Other burner controls Listed by UL.1 Conformance to NEMA 2 DC 3-1989

NEMA DC 3-1989.

ANSI3 Z21.21-1987 and Z21.21a-1989. AGA 4 Laboratories Certification Seal. Listed by UL.

Listed by UL. Listed by UL.

WATER HEATER MODIFICATIONS

[Standards for conformance]

Insulate tank and distribution piping. Install heat traps on inlet and outlet piping. Install/replace water heater heating elements. Electric, freeze-prevention tape for pipes. Reduce thermostat settings.

(See insulation section of this appendix). Applicable local plumbing code. Listed by UL1.

Listed by UL.

State or local recommendations.

WATER HEATER MODIFICATIONS—Continued

[Standards for conformance]

Install stack damper, gas- ANS1 2 Z21.66-1988, including Exhibits A&B. fueled. and ANSI Z223.1-1988 Install stack damper, oil-UL 17, November 28, fueled. 1988, and NFPA 3 31-1987 Install water flow modi-Commercially available.

fiers.

¹ UL indicates Underwriters Laboratories.

WASTE HEAT RECOVERY DEVICES

[Standards for conformance]

Desuperheater/water ARI 1 470-1987. heaters. Commercially available com-Condensing heat exchangers. ponents and in new heating furnace systems to manufacturers' specifications. Commercially available (Com-Condensing heat exmercial, multi-story building, changers. with teflon-lined tubes institutional) to manufacturers' specifications. Energy recovery **Energy Recovery Equipment** and Systems Air-to-Air equipment. (1978) Sheet Metal and Air-Conditioning Contractors National Association

¹ ARI indicates Air Conditioning and Refrigeration Institute. ² SMACNA denotes Sheet Metal and Air Conditioning Contractors' National Association.

(SMACNA),2

BOILER REPAIR AND MODIFICATIONS/EFFICIENCY **IMPROVEMENTS**

[Standards for conformance]

Install gas conversion ANSI1 Z21.8-1984, (for gas or oil-fired sysburners. tems) ANSI Z21.17-1984, ANSI Z21.17a-1990, and ANSI Z223.1-1988. AGA2 Laboratories Certification seal. UL3 296. February 28. Replace oil burner

1989 Revision and NFPA 4 31-1987.

Install burners (oil/gas)

ANSI Z223.1-1988 for gas equipment and NFPA 31-1987 for oil equipment.

Re-adjust boiler water temperature or install automatic boiler temperature reset control.

ASME 5 CSD-1-1988, ASME CSD-1a-1989, ANSI Z223.1-1988, and NFPA 31-1987.

462

¹ASME indicates American Society of Mechanical Engi-

neers.

²The heat reclaimer is for installation in a section of the vent connector from appliances equipped with draft hoods or appliances equipped with powered burners or induced draft and not equipped with a draft hood.

³AGA indicates American Gas Association.

⁴UL indicates Underwriters Laboratories

¹UL indicates Underwriters Laboratories. ²NEMA indicates National Electrical Manufacturers Asso-

ciation.

ANSI indicates American National Standards Institute.
 AGA indicates American Gas Association.

² ANSI indicates American National Standards Institute. ³NFPA indicates National Fire Prevention Association.

Department of Energy

Pt. 440, App. A

BOILER REPAIR AND MODIFICATIONS/EFFICIENCY IMPROVEMENTS—Continued

[Standards for conformance]

Р
R
Р
С

SME Boiler and Pressure Vessel Code, 1992, Sections II, IV, V, VI, VIII, IX, and X. Boilers must be Institute of Boilers and Radiation Manufacturers (IBR) equipment.

Per manufacturers' instructions.

Refractory linings may be required for conver-

Protection from flame contact with conversion burners by refractory shield.

Commercially available. One pipe steam systems require air vents on each radiator; see manufacturers' requirements.

Commercially available. NFPA 70, National Electrical Code (NEC) 1993 and local electrical codes provisions for wiring. HEATING AND COOLING SYSTEM REPAIRS AND TUNE-UPS/EFFICIENCY IMPROVEMENTS—Continued

[Standards for conformance]

Clean heat exchanger and adjust burner: adjust air shutter and check CO₂ and stack temperature. Clean or replace air filter on forced air furnace.

Install vent dampers for gas-fueled heating systems.

Install vent dampers for oil-fueled heating systems.

Reduce excess combustion air:

A: Reduce vent connector size of gasfueled appliances.

B: Adjust barometric draft regulator for oil fuels.

Replace constant burning pilot with electric ignition device on gasfueled furnaces or boil-

Readjust fan switch on forced air gas or oilfueled furnaces.

Replace burners

Install/replace duct furnaces (gas). Install/replace heat

pumps.
Replace air diffusers, intakes, registers, and grilles.

Install/replace warm air heating metal ducts.
Filter alarm units

ANSI Z223.1-1988 (NFPA 54-1988) including Appendix H.

Applicable sections of ANSI Z223.1–1988 (NFPA 54–1988) including Appendices H, I, J, and K. ANSI Z21.66–1988 and Exhibits A & B for electrically operated dampers.

Applicable sections of NFPA 31–1987 for installation and in conformance with UL ⁴ 17, November 28, 1988.

ANSI Z223.1–1988 (NFPA 54–1988) Part 9 and Appendices G &

NFPA 31–1987 and per manufacturers' (furnace or boiler) instructions.

ANSI Z21.71–1981, Z21.71a-1985, and Z21.71b-1989.

Applicable sections and Appendix H of ANSI Z223.1–1988 (NFPA 54–1988) for gas furnaces and NFPA 31-1987 for oil furnaces.

See power burners (oil/ gas). ANSI Z223.1–1988

(NFPA 54-1988). Listed by UL.

Commercially available.

Commercially available.

Commercially available.

¹ ANSI indicates American National Standards Institute.

AGA indicates American Gas Association.
 UL indicates Underwriters Laboratories.
 NFPA indicates National Fire Prevention Association.

TUNE-UPS/EFFICIENCY IMPROVEMENTS
[Standards for conformance]

Install duct insulation

Reduce input of burner;

derate gas-fueled

equipment.

Install boiler duty cycle

control system.

FS1 HH-I–558C, January 7, 1992 (see insulation sections of this appendix).

Local utility company and procedures if applicable for gas-fueled furnaces and ANSI ² Z223.1–1988 (NFPA ³ 54–1988) including Appendix H.

NFPA 31-1987. NFPA 31-1987.

Repair/replace oil-fired equipment.
Replace combustion

Replace combustion chamber in oil-fired furnaces or boilers. ¹ FS indicates Federal Specifications.

² ANSI indicates American National Standards Institute. ³ NFPA indicates National Fire Prevention Association.

⁴UL indicates Underwriters Laboratories.

⁵ ANSI/ASME indicates American National Standards Institute/American Society of Mechanical Engineers.
HEATING AND COOLING SYSTEM REPAIRS AND

Pt. 451

REPLACEMENT FURNACES, BOILERS, AND WOOD **S**TOVES

[Standards for conformance]

Chimneys, fireplaces, vents and solid fuel burning appliances.	NFPA ¹ 211–1988.
Gas-fired furnaces	ANS12 Z21.47-1987,
	Z21.47a-1988, and
	Z21.47b-1989. ANSI
	Z223.1-1988 (NFPA
	54–1988).
Oil-fired furnaces	UL ³ 727, August 27, 1991 Revision and NFPA 31–1987.
Liquified petroleum gas	NFPA 58-1989.
storage.	
Ventilation fans:	
Including electric attic, ceiling, and whole house fans.	UL 507, August 23, 1990 Revision.

¹NFPA indicates National Fire Prevention Association ² ANSI indicates American National Standards Institute. ³ UL indicates Underwriters Laboratories.

AIR CONDITIONERS AND COOLING EQUIPMENT [Standards for conformance]

Air conditioners: Central air conditioners Room size units	ARI ¹ 210/240-1989. ANSI/AHAM ² RAC-1- 1982.
Other cooling equipment: Including evaporative coolers, heat pumps and other equipment.	UL ³ 1995, November 30, 1990. ⁴

¹ ARI indicates Air Conditioning and Refrigeration Institute. ² AHAM/ANSI indicates American Home Appliance Manufacturers/American National Standards Institute. ³ UL indicates Underwriters Laboratories. ⁴ This standard is a general standard covering many different types of heating and cooling equipment.

SCREENS, WINDOW FILMS, AND REFLECTIVE **MATERIALS**

[Standards for conformance]

Insect screens	Commercially available.
Window films	Commercially available.
Shade screens:	
Fiberglass shade screens	Commercially available.
Polyester shade screens	Commercially available.
Rigid awnings:	
Wood rigid awnings	Commercially available.
Metal rigid awnings	Commercially available.
Louver systems:	
Wood louver systems	Commercially available.
Metal louver systems	Commercially available.

SCREENS, WINDOW FILMS, AND REFLECTIVE MATERIALS—Continued

[Standards for conformance]

Industrial-grade white paint used as a heat-reflective	Commercially available.
measure on awnings, win- dow louvers, doors, and ex- terior duct work (exposed).	42.5.
dow louvers, doors, and ex-	

[58 FR 12529, Mar. 4, 1993]

PART 445 [RESERVED]

PART 451—RENEWABLE ENERGY

PRODUCTION INCENTIVES

Sec.

451.1 Purpose and scope.

451.2 Definitions.

451.3 Who may apply.

- 451.4 What is a qualified renewable energy facility.
- 451.5 Where and when to apply.
- 451.6 Duration of incentive payments.
- 451.7 Metering requirements.
- 451.8 Application content requirements.
- 451.9 Procedures for processing applications.
- 451.10 Administrative appeals.

AUTHORITY: 42 U.S.C. §7254; 42 U.S.C. § 13317.

SOURCE: 60 FR 36964, July 19, 1995, unless otherwise noted.

§451.1 Purpose and scope.

- (a) The provisions of this part cover the policies and procedures applicable to the determinations by the Department of Energy (DOE) to make incentive payments for electric energy generated and sold by a qualified renewable energy facility owned by a State or nonprofit electric cooperative under the authority of 42 U.S.C. 13317.
- (b) Determinations to make incentive payments under this part are not subject to the provisions of 10 CFR part 600 and such payments shall not be construed to be financial assistance.

§451.2 Definitions.

As used in this part—

Closed-loop biomass means any organic material from a plant which is planted exclusively for purposes of being used at a qualified renewable energy facility to generate electricity or from a second harvesting of such a plant if planted before October 1, 1993.